
2022 Disease Rating* Rhizomania



^{**} Township disease ratings are based on current and historical observations of severity. The highest severity rating for a township is maintained since disease presence can remain in the soil for many years. Selecting proper varieties and production practices reduce disease incidence.

Slight

Severe

Moderate



Rhizomania Management*



Disease Severity

Management Opportunities

Severe

- Plant only Dual, Tandem, or Stacked resistant varieties
- Use good drainage practices
- Plant as early as possible
- Maximize rotation length
- Practice proper crop rotation
- Monitor for blinkers and resistance breaking strains
- Watch for severe sugar content decline
- Tile drainage very likely beneficial
- Consider renting land with less severity

Moderate

- Plant only Dual, Tandem, or Stacked resistant varieties
- Use good drainage practices
- Plant as early as possible
- Maximize rotation length
- Practice proper crop rotation
- Monitor for blinkers and resistance breaking strains
- Watch for sugar content decline
- Monitor field symptoms for increased severity

Slight

- Plant any resistant variety
- Use good drainage practices
- Plant as early as possible
- Practice proper crop rotation
- Monitor field symptoms for increased severity
- Watch for sugar content decline

None

- Prevent disease introduction
- Use good drainage practices
- Monitor field symptoms
- Practice proper crop rotation
- * Management strategies listed in priority order